

Notice of Allowability	Application No.	Applicant(s)
	10/665,750	PENG ET AL.
	Examiner	Art Unit

Ms. Arti Singh

1771

ED

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS**. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to initial filing on 09/18/2003.
2. The allowed claim(s) is/are 22-31 renumbered as 1-10, all other claims have been cancelled by Applicant.
3. The drawings filed on 09/18/2003 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- At the beginning of page 8 please insert—

Brief Description of the Drawings

The accompanying drawing—Figure 1 is a plain view of the composite.

- Please delete in the first line of page 8 the title "IN THE DRAWINGS" and insert -
Detailed Description of the Drawings—
- And insert—Figure 1—after the word drawing in the first line of the paragraph
under the heading **detailed description of the drawings**.

Allowable Subject Matter

2. Claims 22-31 are allowed and renumbered as claims 1-10.
3. The following is an Examiner's statement of reasons for allowance: giving weight to the preamble of the claim, there was no prior art found that teaches or fairly suggests an asphalt coated roofing shingle using a crosslinked styrene/ (meth) acrylic polymer binder modifier, in a nonwoven fibrous mat wherein the percentage by weight of the fibers is from about 60%-95%, containing a polysiloxane from about 0.001% to about 15%, further containing a formaldehyde binder from about 40 to 5% in which the crosslinked styrene polymer resides.

Mirous (USP 5,518,586) is believed to be the closest prior art. Mirous teaches a urea-formaldehyde binder/ glass fiber composite which exhibits high tear strength, a property desirable for use in roofing products. Mirous discloses the basic structure, fiber lengths and

fiber diameters, but fails to disclose two basic and novel features of the instant application: the use of crosslinked styrene (meth) acrylic polymer binder within the formaldehyde binder and secondly, the fibers containing a polysiloxane.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ms. Arti Singh whose telephone number is 571-272-1483. The examiner can normally be reached on M-F 9-7pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on 571-272-1478. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Ars 08/19/2004

Ms. Arti Singh
Primary Examiner
Art Unit 1771